Historic, Archive Document

Do not assume content reflects current scientific knowledge, policies, or practices.



WHOLESALE PRICE LIST

OF

EVERGREEN TREES AND SHRUBS

FOR

AUGUST AND SEPTEMBER PLANTING
-1914

(Complete Price List will be issued September first)

The Bay State Nurseries

NORTH ABINGTON, MASSACHUSETTS

(Located Eighteen Miles South of Boston)



Long Distance Telephone, Rockland 26.

Cable Address, "Nursery," Boston.

Telegraphic Address, North Abington, Mass.



A section of Evergreens, also Offices, Cellars and Packing Houses of the BAY STATE NURSERIES.

EVERGREEN TREES

These Evergreens are all thrifty and heavily rooted, and have been several times transplanted. We have a number of large specimen Evergreens in variety not listed, also choice sorts recently imported. They can be seen at the nursery when prices will be given. It will pay you to come and see them.

Roots burlapped at an additional expense of 5 cents each for trees up to 3 feet, all over this size 10 cents each; unless otherwise specified we will burlap and charge for same.

	Each	Per 10	Per 100
ABIES balsamea (Balsam Fir) 2 to 3 ft	60	4 00	
3 to 4 ft	75	6 00	
7 to 3 ft	2 00		
b. var. Hudsonia (dwarf) (choice)			
15 to 18 in. spread	4 00		
Canadensis (Hemlock) (See Tsuga Canadensis)			
concolor (White Fir) 3 to 4 ft	3 50	30 00	
4 to 5 ft	4 00	$35 \ 00$	300 00
5 to 6 ft. specimens	6 00	$55 \ 00$	
6 to 7 ft. specimens	7 00	$65 \ 00$	
7 to 10 ft. specimens\$8 00 to	20 00		
Fraseri 6 to 8 ft	2 25		

						_
ABIES—continued	E	Cach	Per	10	Per 1	00
Nordmanniana (Nordman's Fir) 2 to 21/2 ft	1	50	12	5 0		
30 to 36 in	1	75	15	00		
3 to 4 ft	2	50	20	00		
4 to 5 ft	4	00	37	50		
5 to 6 ft	6	0.0				
Specimens 6 to 8 ft\$7 00 to	12	00				
Veitchii (Japanese) 2½ to 3 ft	1	50	12	50		
3 to 4 ft	2	0.0	. 17	50		
4 to 5 ft	2	50	22	50		
5 to 6 ft		50	32	50		
6 to 8 ft. specimens	12	0.0				
CEDRUS Atlantica glauca 3 ft		00				
CHAMAECYPARIS (See Retinospora)						
JUNIPERUS (Juniper) communis 12 to 15 in		60	5	50	50	00
15 to 18 in		75	6	50	60	00
com. var. aurea 2 to 3 ft	1	0.0	9	00		
com. var. Cracovia 2 to $2\frac{1}{2}$ ft	1	50	- 12	50		
com. var. Hibernica (Irish Juniper) 1½ to 2 ft		60	4	0'0	35	00
2 to 3 ft		75	6	00		
3 to 4 ft	1	25				
com. var. Suecica (Swedish Juniper) 2 to 21/2 ft.		60	5	00		
2½ to 3 ft		75	7	00		
3 to 4 ft	1	50				
excelsa var. stricta 15 to 18 in		75	6	50	60	00
18 to 24 in	1	00	9	00	85	00
24 to 30 in	1	50	12	50		
globosa 12 to 15 in. spread	2	00				
Japonica var. aurea 18 to 24 in	1	50	12	50		
24 to 30 in	2	0.0	17	5 0		
sabina (Savin Juniper) 15 to 18 in. spread		75	6	50		
18 to 24 in	1	0.0	8	50		
24 to 30 in	1	50	12	50		
s. var. procumbens 15 to 18 in. spread		75	6	50		
18 to 24 in. spread	1	0.0	8	50		
s. var tamariscifolia 12 to 15 in. spread	1	25	10	00		
15 to 18 in. spreas	1	50	13	00		
18 to 24 in. spread	1	75	15	0.0		
macrocarpa (neaboriensis) 2 to 2½ ft	1	75	15	00		
Pfitzeriana 18 to 24 in	2	00	17	50		
2 to 3 ft	2	50	22	50		
3 to 4 ft. specimens	3	50				
Sinensis (Chinese) 2½ to 3 ft		50	13	00		
3 to 4 ft		00	17	50		
s. var. aurea 2 to 3 ft		00		50		
3 to 4 ft		50		50		
s. var. argentea variegata 18 to 24 in		00		00		
2 to 3 ft		25		00		
3 to 4 ft		0.0	_ •			

JUNIPERUS—continued	F	Cach	Pe	r 10	Per	100
Virginiana (Red Cedar) 3 to 4 ft		50		50	1 61	100
4 to 5 ft		00		50 50		-
5 to 6 ft		00	11	30		
Large specimens 8 to 14 ft. prices on application						
V. var. Connarti 5 to 6 ft		00				
V. var. elegantissima 2 to 3 ft	-	50	12	50		
3 to 4 ft	2	50	22	50		
4 to 5 ft\$3 00 to	5	00				
V. var. glauca 3 to 4 ft	3	00	25	00		
4 to 5 ft	4	00	35	00		
5 to 6 ft	5	00	45	00		
6 to 7 ft. specimens\$6 00 to	7	50				
V. var. nana compacta 8 to 10 in. spread		75	15	00		
V. var. schottii 4 to 5 ft		50				
5 to 6 ft	3	00				
PICEA (Spruce)						
alba (White Spruce) 2 to 3 ft		50		50		00
3 to 4 ft		85		50	60	00
4 to 5 ft		50		50		
5 to 6 ft		00		50		
6 to 7 ft		00	27	50		
7 to 10 ft. specimens\$4 00 to	-	00				
alba var. glauca 18 to 24 in. spread	_	$\frac{50}{50}$	99	50		
Alcoquiana (Alcock's Spruce) 3 to 4 ft		00	44	90		
4 to 5 ft		75	6	00	50	00
2 to 2½ ft		00		00		00
2½ to 3 ft		50		50	100	
3 to 4 ft		50		50	100	00
	12			- *		
excelsa (Norway Spruce) 2 to 3 ft		50	4	00	25	00
3 to 4 ft		75	6	00	45	00
4 to 5 ft	1	010	7	50	60	00
5 to 6 ft	1	50	12	50	100	00
6 to 7 ft	2	00	17	50	125	00
7 to 8 ft	3	00	25	00	200	00
8 to 10 ft	4	00	35	00	275	00
10 to 12 ft	5	00	45	00		
APP Special low prices for car lots						
ex. var. brevifolia 12 to 15 in	2					
ex. var. Clanbrasiliana 8 to 12 in	2		17	50		
18 to 24 in	3					
ex. var. compacta 3x3 ft. specimens	6					
4x4 ft. specimens	3		1	F 0.		
ex. var. conica 12 to 15 in	2		17			
18 to 24 in	2	5U	22	90		

PICEA—continued	E	ach	Per	r 10	Per	100
ex. var. dumosa 15 to 18 in	3	00				
ex. var. Gregoryana (Gregory Spruce)						
12 to 15 in. spread	2	50	22	50		
18 to 24 in. spread	3	50	32	50		
2 to 3 ft	4	25				
ex. var. Hudsonica glauca 3 to 4 ft	3	00	25	00		
4 to 5 ft	4	50				
ex. var. inverta (Weeping Spruce) 4 to 5 ft	2	50				
6 to 7 ft	4	00				
ex. var. Maxwelli 15 to 18 in. spread	2	50	22	50		
24 in. spread specimens	3	50				
ex. var. microsperma 8 to 12 in	2 (00	17	50		
ex. var. parviformis 18 to 24 in	2	25				
ex. var. procumbens 10 to 12 in	2	00				
ex. var. pumila 15 to 18 in. spread	2	25	20	00		
18 to 24 in. spread	3			50		
Specimens 2 to $3\frac{1}{2}$ ft. spread\$4 00 to	8 (_ :	-			
ex. var. rygmea 12 to 15 in. spread	2	25				
15x15 inch	3 (00	27	50		
ex. var. pyramidalis 2 to 2½ ft	2 (00				
ex. var. Remonti 18 to 24 in	1 8					
2 to 2½ ft	2 (17	50		
nigra (Black Spruce) 4 to 5 ft	1 (0.0	9	00	80	00
5 to 6 ft	1 8			50	110	
6 to 7 ft	1 7	75	15	00	135	
7 to 8 ft	2 5	50	22	50		
8 to 10 ft	3 5	50	30	00		
nigra var. Doumetti 3 to 4 ft. specimens	3 (00	25	00		
4 to 5 ft. specimens	3 5	50	32	50		
5 to b ft. specimens	4 5		42	50		
6 to 7 ft. specimens\$5 00 to						
Ohlendorfi 15 to 18 in	2 5					
Omorica (Servian Spruce) 2 to 3 ft	2 5					
3 to 4 ft.	3 5		1.7	F.C.	105	0.0
orientalis (Eastern Spruce) 2 to 3 ft	$\frac{2}{3}$ 0		$\frac{17}{25}$		125	00
4 to 5 ft		50 50	30			
	10 0		00	00		
orientalis gracilis 18 x 18 in	2 5		22	50		
24 x 24 in	3 0		25			
o. var. nana gracilis 18 to 24 in	2 5	0				
3 to 4 ft	5 0	00				
polita (Tiger Tail Spruce) 18 to 24 in	1 2	25	10	00		
2 to 3 ft	1 5	0	12	50		

						_
PICEA—continued	Ea	ich	Per	10	Per 1	00
pungens (Green Colorado Spruce) 2 to 3 ft	1 2	5	12	00		
3 to 4 ft	1 5	0	14	00		
4 to 5 ft. specimens	3 0	0	25	00		
7 to 8 ft. specimens	7 5	0				
pungens var. glauca (Colorado Blue Spruce)						
3 to 3½ ft. specimens with ball	4 0	0	35	00		
3½ to 4 ft. specimens with ball	5 0	0	45	00		
4 to 5 ft. specimens with ball	6 0	0	55	00		
5 to 6 ft. specimens with ball	7 (00	65	00	625	00
6 to 7 ft. specimens with ball	8 (75	00		
7 to 10 ft. specimens with ball\$8 00 to						
p. var. Kosteriana (Koster's Blue Spruce)						
3 ft. specimens with ball	3 5	50	30	0.0		
3 to $3\frac{1}{2}$ ft. specimens with ball	4 (35		300	0.0
3½ to 4 ft. specimens with ball	5 (00	400	
4 to 5 ft. specimens with ball	6 (00	200	•
5 to 6 ft. specimens	7 5			00		
6 to 8 ft\$8 00 to		-	• •	00		
PINUS (Pine)	-0 (, ,				
Austriaca (Austrian or Black Pine) 2 to 2½ ft.	g	90	8	00	75	0.0
2½ to 3 ft	1 2			00	90	
3 to 3½ ft	2 (50	•	•
3½ to 5 ft\$2 50 to	6 (-		00		
cembra (Swiss Stone Pine) 18 to 24 in	1 (9	00		
2 to 2½ ft	1 2			00		
2½ to 3 ft	1 8			50		
4 to 7 ft\$3 00 to	7 8		10	00		
divaricata or banksiana (Jack Pine) 4 to 5 ft.	1 (g	00	80	٥
5 to 6 ft		25		00	100	
6 to 7 ft	1 3			00	100	
7 to 8 ft	2 2			00		
montana (Swiss Mountain Pine) 2 to 3 ft	2 (50		
3 to 4 ft	3 (00		
4 to 5 ft	5 (20	00		
var. mughus (Dwarf Mountain Pine) 12 to 15 in.		85	7	50		
15 to 18 in. spread	1 (50		
18 to 24 in. spread	1			50		
2 to 2½ ft. spread	2		12	00		
2½ to 3 ft. spread	3					
3 to 5 ft. spread specimens\$5 00 to						
		60	5	50	50	٨
resinoso (Red Pine) 1½ to 2 ft		75	_	50	60	
2 to 2 ½ 1t. 2½ to 3 ft.	1			00	80	
3 to 4 ft	1			50	30	U
rigida (Pitch Pine) 2 to 3 ft		50 75		50		
,	1			00		
3 to 4 ft						
4 to 5 ft	1	อบ	12	50		

	Each	Per 10	Per 100
strobus (White Pine) 18 to 24 in		2 00	18 00
2 to 3 ft	$\begin{array}{c} 75 \\ 1 \ 00 \end{array}$	6 00 8 00	$\frac{40}{75} \frac{00}{00}$
3 to 4 ft	1 75	15 00	125 00
5 to 6 ft	2 00	18 50	125 00
	40	3 00	25 00
sylvestris 2 to 3 ft	6 0	5 00	40 00
4 to 5 ft	1 00	9 00	75 00
5 to 6 ft	1 50	12 50	10 00
6 to 8 ft. specimens\$2 50 to	5 00	12 00	
Wateriana (Dwarf Pine) 12 to 15 in	1 75	15 00	
18 to 24 in	2 50	10 00	
PSEUDOTSUGA Douglasi (Douglas Spruce)	2 00		
2 to 3 ft	75	6 50	60 00
3 to 4 ft	1 50	12 50	00 00
4 to 5 ft	2 50	22 50	
5 to 6 ft	3 50	30 00	
6 to 7 ft	4 50	42 50	
7 to 10 ft. specimens\$6 00 to			
RETINOSPORA (Japan Cypress)			
filifera (Thread branched Japan Cypress)			
2 to 3 ft	2 25	20 00	
4 to 5 ft. specimens	6 00	55 00	
5 to 8 ft. specimens\$7 00 to			
filifera var. aurea 12 to 15 in. spread	2 00	17 59	
15 x 18 in. spread	2 50	22 50	
18 to 24 in. x 24 in. spread	3 50		
2 x 2½ ft	5 00		
2½ x 3 ft	7 00		
obtusa 2 to 2½ ft	2 00		
obtusa var. filicoides 4 to 5 ft	2 50		
obtusa var. gracilis 2½ to 3 ft	2 50		
3 to 4 ft	3 00	27 50	
5 to 7 ft\$7 50 to		21 00	
obtusa var. lycopodioides 3 to 4 ft	2 00		
obtusa var. nana 10 to 12 in	1 75	15 00	
12 to 15 in	2 00	15 00	
obtusa var. nana aurea 3 to 4 ft	3 00		
obtusa var. pygmaea 18 to 24 in	2 00	17 50	
pisifera 2 to 3 ft	1 25	10 00	
3 to 4 ft	2 00	17 50	
4 to 5 ft specimens	3 00		
5 to 6 ft. specimens	5 00		
6 to 10 ft\$6 00 to 1	10 00		

RETINOSPORA—continued	E	ach	Per	10	Per	100
pisifera var. aurea 2½ to 3 ft	1	25				
3 to 4 ft	2	00	17	5 0		
4 to 5 ft	2	50	2 2	50		
5 to 6 ft	3	25	30	00		
6 to 7 ft	4	00	37	5 0		
7 to 8 ft. specimens\$5 00 to	10	00				
plumosa (Plum-like Japan Cypress) 1½ to 2 ft.		75	6	00		
2 to 2½ ft. sheared specimens	1	25	10			
21/2 to 3 ft. sheared specimens	1	50	12	5 0		
3 to 4 ft. sheared specimens	2	50	22	50		
4 to 5 ft. sheared specimens	4	00				
5 to 6 ft. sheared specimens	6	00				
plumosa aurea (A golden form of plumosa)						
24 to 30 in	1	50	12	50		
2½ to 3 ft. sheared specimens	2	00	17			
3 to 4 ft. sheared specimens	3	50	30			
4 to 5 ft. sheared specimens	4	50	40			
5 to 6 ft	6	00	55			
6 to 8 ft. sheared specimens\$7 00 to	12	00				
plu. var. aurea elegantissima 2 to 3 ft	2	50	20	0.0		
3 to 4 it. bushy specimens		00	35			
4 to 5 ft. hushy specimens\$5 00 to		00	•	00		
squarrosa (Veitchi) 2 to 3 ft		50	12	50		
3 to 4 ft. sheared specimens		00	35			
4 to 5 ft. sheared specimens		00	$\frac{35}{45}$			
5 to 7 ft. sheared specimens\$6 00 to			40	00		
- · · · · · · · · · · · · · · · · · · ·	12	00				
SCIADOPITYS verticillata (Umbrella Pine)	0	50	22	50		
15 to 18 in. specimens		50 50	30			
2 to 3 ft. specimens	_		30	0.0		
3 to 4 ft. specimens\$12 00 to						
4 to 5 ft. specimens\$15 00 to						
TAXUS baccata (English Yew) 1½ to 2 ft		50 00	17	E0.		10
2 to 2½ ft		50	22			
2½ to 3 1½			44	50		
b. var. adpressa 18 to 24 in		75				
2 to 3 ft		00	4.0	F 0:		
b. var. adpressa stricta 12 to 15 in		50	12	50		
b. var. elegantissima 15 to 18 in		50				
18 to 24 in		50				
b. var. erecta 2½ to 3 ft		00				
3 ft		50				
b. var. erecta aurea 15 to 18 in		50				
18 to 24 in		00				-
b. horizontalis $2\frac{1}{2}$ to 3 ft. spread	9	00				

TAXUS—continued	E	Each	Per	10	Per 1	.00
b. var. horizontalis variegata (dwarf)						
15 to 18 in		25	10			
18 to 24 in. spread		50	12	50		
2½ to 3 ft. spread	-	00				
b. var. semper aurea 18 to 24 in		50	12			
b. var. Washingtoni 12 to 15 in	_	25	10			
18 to 24 in	2	00	17	50		
Canadensis (American Yew) 15 to 18 in		75	6	5 0	60	00
18 to 24 in	1	25	10	00		
cuspidata 18 to 24 in	1	5 0	12	50		
2 ft	2	00	17	50		
c. var. brevifolia 12 to 15 in	1	25	10	00		
15 to 18 in	1	50	12	50		
18 to 24 in. specimens	2	50	22	50		
2 x 2 ft. specimens	4	5 0				
Absolutely hardy—one of the best yews						
repandens (Spreading Yew) 15 in. spread	1	50	12	50	110	00
18 to 24 in. spread	2	00	17	50		
THUYA (Arbor Vitea) occidentalis (American Arb	or	· Vita	ae)			
2 to 3 ft		35		00	25	00
3 to 4 ft		60	5	00	45	00
4 to 5 ft	1	00	8	00	70	00
5 to 6 ft	1	50	12	50	100	00
6 to 7 ft	2	00	17	50	150	00
7 to 8 ft	2	50	20	00	180	00
8 to 9 it. specimens	4	0.0	35	00	300	00
9 ft. specimens	5	00	45	00	400	00
7 to 8 ft. 3 to 4 ft. at base, specimens		00				
Note:—We will give 10 per cent off these pr	ric	es or	n car	loa	d lots	of
Thuya occidentalis.		= 0				
oc. var. alba spica 6 to 8 ft. specimens \$3 00 to	4	50				
oc. var. aurea (Geo. Peabody's Arbor Vitae) 3 to 4 ft	1	00	0	00		
4 to 5 ft.		50	12			
5 to 6 ft. specimens		00	17			
6 to 7 ft. specimens		50		50		
oc. var. compacta 4 to 5 ft		00	22	50		
oc. var. Douglasii pyramidalis 3 to 4 ft		00				
4 to 5 ft		00				
oc. var. Ellwangeriana	-					
2 to 3 ft. bushy	1	50				
3 to 4 ft. bushy		50				
4 to 5 ft. bushy	3	50				
oc. var. globosa (Globe Arbor Vitae) 15 to 18 in.		75	7	00	60	00
18 to 24 in	1	00	9	00		

	Each	Per 10	Per 100
oc. var. Hoveyii (Hovey's Arbor Vitae)	= 0	4 00	0=
15 to 18 in	50	4 00	35 00
18 to 24 in	75	6 00	50 00
2 to 3 ft	1 00	7 50	60 00
3 to 4 ft. bushy specimens	2 50	22 50	
4 to 5 ft. bushy specimens	3 75	$35 \ 00$	
oc. var. pyramidalis (Pyramidal Arbor Vitae)			
2 to 3 ft	60	5 00	40 00
3 to 3½ ft		6 00	50 00
3½ to 4 ft	1 00	9 00	75 00
4 to 5 ft	1 50	$12 \ 50$	
5 to 6 ft	2 50		
6 to 7 ft	3 50		
oc. var. Siberica (Siberian Arbor Vitae) 15 to 18 in		4 00	
18 to 24 in	75	6 00	
2 to 2½ ft	1 00	8 50	
$2\frac{1}{2}$ to 3 ft	1 25	$10 \ 00$	
3 to 4 ft	1 50	12 50	
oc. var. Spaethii (Dwarf, for rockery)	1 50		
oc. var. Vervaeneana 2 to 3 ft	50	4 00	30 00
3 to 4 ft	1 00	7 50	60 00
4 to 5 ft. specimens, 3 ft. broad at base	2 00	17 50	
5 to 6 ft. specimens, 4 ft. broad at base	3 00	27 50	
6 to 7 ft. specimens	4 00	37 50	
Our stock is all fine, bushy plants.			-
oriental's var aurea 12 to 15 in. spread	2 00		
15 in. spread	2 50		
TSUGA Canadensis (Hemlock) 24 to 30 in	90	8 50	80 00
30 to 36 in	1 25	10 00	90 00
3 to 4 ft	1 75	15 00	135 00
4 to 5 ft. bushy	3 00	25 00	225 00
5 to 6 ft. bushy	4 00	35 00	220 00
6 to 7 ft. bushy	6 00	55 0 0	
7 to 12 ft. specimen		00 00	
Japonica var. Sieboldii 2 to $2\frac{1}{2}$ ft	1 50		
3 to 4 ft	3 00		
0 00 1 10000000000000000000000000000000	0 00		
EVERGREEN SHRUB	S		
ANDROMEDA floribunda 12 to 15 in. bushy	1 25	10 00	90 00
	1 50	12 50	30 00
15 to 18 in. bushy	1 50	12 90	
A. Japonica 18 in.	1 90		
A. axillaris (see Leucothoe)	1 25	11 00	
AZALEA amoena 12 to 15 in		11 00	
3 ft. bushy specimens	5 00		
Japonica var. Hinodegiri (Dark Red)	1 (10		
8 to 12 in. bushy	1 00		

AZALEA—continued	Each	Per 10	Per 100
Jap. var. Yodogawa (Choice, double pink)	0.50		
18 to 24 in	2 50		
2 to 3 ft	3 50		
BUXUS Arborescens		0 = 0	20.00
Tree Box Bush form 12 to 15 in	40	3 50	30 00
15 to 18 in	75	6 50	60 00
18 to 24 in	1 25	10 00	
2 to 2½ ft	1 75	15 00	
2½ to 3 ft	2 00	17 50	
4 to 5 ft. bushy specimens\$7 50 to			
4 to 5 ft. columns x 3 to 4 ft. specimens \$15 to	20 00		
Tree Box. Pyramid form.	0.00		
2 to 2½ ft. with ball	2 00	17 50	
2½ to 3 ft. with ball	2 50	22 50	
3 to $3\frac{1}{2}$ ft. with ball	3 50	$32 \ 50$	
4 to 4½ ft. extra broad base specimens	7 50		
5 to 6 ft. with ball	7 00	65 00	
Tree Box. Standard form.			
$2\frac{1}{2}$ to 3 ft. stems, 15 to 18 in. heads	2 50		
Globe form 15 to 18 in. sheared specimens	4 (10)		
decussata 2 ft. bushy	1 00	9 00	
var. Handsworthii 4 to 5 ft	5 00	47 50	
suffruticosa (Dwarf Box) 3 to 4 in		80	5 00
5 to 6 in		1 20	8 00
DAPHNE Cneorum (Pink) 6 to 8 in	30	2 50	20 0
8 to 10 in	35	3 00	25 0
10 to 12 in., bushy	50	4 50	40 0
var. maximum	50	4 00	
collina (Purple) 8 to 12 in	40	3 50	
12 to 15 in	60	5 00	
EUONYMUS radicans (Creeping Euonymus) 3 yrs	. 15	1 00	8 00
4 yrs	20	1 50	12 00
var. vegetus (Broad leaf) 3 yrs	20	1 50	12 0
4 yrs	25	2 00	18 0
var. variegata 3 yrs	15	1 20	8 0
4 yrs	20	1 50	12 0
HEDERA Hibernica arborea 12 x 12 in	1 00	9 00	
2 to 2½ ft. bushy	2 00	0 00	
ILEX (Holly) crenata (Japanese Holly)	_ 00		
	1 50	19 50	
15 to 18 in	$\frac{1}{2} \frac{50}{50}$	12 50	
2 to 2½ ft	2 50 3 50	22 50	
2½ to 3 ft		30 00	
c. aurea variegata 15 to 18 in. spread	25	10 00	
18 to 24 in. spread	1 50	12 50	
2 to 2½ ft. spread	2 00	15 00	
3 to 4 ft. spread specimens\$3 00 to	5 00		

ILEX—continued	E	lach	Per	10	Per	100
grabra (Inkberry) 10 to 12 in		35	2	50		
15 to 18 in		50	4	00		
KALMIA (Laurel)						
latifolia (Mountain Laurel)						
15 to 18 in		75	6	50	50	00
18 to 24 in	1	00	9	00	75	00
2 to 2½ ft. bushy	2	00	17	50		
2½ to 3 ft. bushy	2	50	22	50		
3 to 2½ ft	3	00				
LEUCOTHOE Catesbaei 15 to 18 in		50	4	50	40	00
18 to 24 in. bushy		75	6	50		
2 to 3 ft. bushy	1	50				
LAURIS NOBILIS (Bay Trees) Standards in 11/2	, 2	2, 21/2	dia	mete	er hea	ds,
3½ to 4 ft. stems	\$1	0 00	to 1	5 00	ner n	air

RHODODENDRONS

We are growing and importing many thousand Broad Leaved Evergreens, increasing our plantings from year to year. Our stock comprises the best Hybrids of the most hardy sort, and the native Catawbiense Maximum, and Alpine varieties; also Mountain Laurel (Kalmia latifolia). If you want nursery grown natives, we have them by the carload. If you require collected Maximums, we can furnish them by the thousand or any number required.

Abraham Lincoln (fine red) 18 to 24 in....... 1 00 9 00

RHODODENDRONS

HARDY HYBRID VARIETIES

, ,			
Album elegans (Large white) 18 to 24 in	1 00	9 00	
24 to 30 in	1 50	12 50	
30 to 36 in	2 50	20 00	
3 to 4 ft. specimens	5 00	45 00	
album novum (White) 3 to 4 ft	5 00	45 00	
album grandiflorum (blush white) 3 to 4 ft	5 00		
Betsey Parsons (Rose color) 30 to 36	2 50		
3 to 3½ ft	4 00		
Bicolor (Rose changing to white) 3 to $3\frac{1}{2}$ ft	4 00		
Boule de Niege (Very Dwarf) Pure white			
15x15 in	1 00	9 00	80 00
18x18 in	$1 \ 25$	11 00	100 00
24x24 in	2 00	17 50	
Candidissimum (White) 18 to 24 in	1 00		
24 in	1 50		
Caractacus (Rich purplish crimson) 18 to 24 in.	1 00	9 00	85 00
24 to 30 in	1 50	$12 \ 50$	110 00
30 to 36 in	250	20 00	180 00
3 to 3½ ft. specimens	4 00	35 00	



A section of Hardy Hybrid Rhododendrons growing in rear of offices of the $$\tt BAY$ STATE NURSERIES.

RHODODENDRONS Hardy Hybrids—continued	Each	Per 10	Per 100
Catawbiense grand. alba (White) 18 to 24 in	1 00	9 00	
24 to 30 in	1 50	$12 \ 50$	
3 to 3½ ft. specimens	4 00	$35 \ 00$	
Charles Bagley*(Red) 24 to 30 in	1 50	$12 \ 50$	
3 to 3½ ft	4 00		
Charles Dickens (Rich Crimson) 18 to 24 in	1 00	9 00	
24 to 30 in	1 50		
3 to 4 ft. specimens	5 00	45 00	
Charlie Waterer (Scarlet, light center)			
2½ to 3 ft	$2^{-}50$	$20 \ 00$	
C. S. Sargent (Fine red) 18 to 24 in	1 00	9 00	
Delicatissimum (Blush White) 18 to 24 in	1 00	9 00	
24 to 30 in	1 50	12 50	
Everestianum (Rose Lilac, crimped)			
18 to 24 in	1 00	9 00	
24 to 30 in	1 50	12 50	
30 to 36 in	2 50	$20 \ 00$	
F. D. Godman (Crimson) 3 to 4 ft	5 00		
Hanna Felix (light red) 3 to 4 ft. specimens	5 00	45 00	
Herbert Parsons (Red) 2½ to 3 ft	2 50	20 00	
3 to 4 ft	5 00		

RHODODENDRONS—Hardy Hybrids—continued	Ea		Per		Per 100
H. H. Hunnewell (Dark crimson) 18 to 24 in		00	9	00	
3 to 4 ft. specimens	-	00			
H. W. Sargent (Crimson) 18 to 24 in		00			
24 to 30 in	_	50	12		
3 to 4 ft. specimens	5	00	45	00	
Kettledrum (crimson) 18 to 24 in	1	00	9	00	
24 to 30 in	1	50	12	50	
Lady Armstrong (Pale rose, spotted) 18 to 24 in	1	00	9	00	
24 to 30 in	1	50	12	50	
30 to 36 in	2	50	20	00	
3 to 4 ft. specimens	5	00	45	00	
Lady Clermont (Dark Red) 24 to 30 in	1	50	12	50	
30 to 36 in	2	50	20	00	
3 to 4 ft	5	00	45	00	
Lady Egerton (Blush) 18 to 24 in	1	00			
Lady Eleonore Cathcart (Pink with dark center	r)				
3 to 4 ft		00			
Mme. Carvalho (White) 3 to 4 ft. specimens	5	00	45	00	
Miss Katharine von Tol (Choice pink)	·	•	10	•	
18 to 24 in	1	00	a	00	
	1	00	J	00	
Mme. Masson (Pure white, green spotted)	4	0.0			
3 to 3½ ft		00			
Mrs. H. Ingersoll (Rosy-lilac) 18 to 24 in	1	00	9	00	
Mrs. Mendel (Lilae, white center) 24 to 30 in	1	50	12	50	
Mrs. Milner (Rich crimson) 18 to 24 in	1	00	9	00	
24 to 30 in	1	50	12	5 0	
30 to 36 in	2	50	_ 20	00	
Mrs. S. Rand (Rich crimson) 24 to 30 in	1	50	12	50	
Mrs. S. Simpson (Scft rose) 24 to 30 in	1	50	12	50	
Old Port (Dark red) 18 to 24 in		00		00	
24 to 30 in	_	50	-	50	
30 to 36 in		50		00	
3 to 4 ft		00		•	
Parson's Gloriosum (Large blush) 18 to 24 in.		00	a	0 0	
24 to 30 in	-	50	-	50	
30 to 36 in		50		00	
3 to 3½ ft. specimens		00		00	
		50		00	
Parson's grandiflorum (Red) 30 to 36 in	_	00	20	00	
3 to 3½ ft			10	=0	
President Lincoln (Rose) 24 to 30 in		50		50	
30 to 36 in	_	50		00	
3 to 3½ ft. specimens		00	59	00	
Purpureum elegans (Fine purple) 24 to 30 in.	1	50			

RHODODENDRONS—Hardy Hybrids—continued	Each	Per 10	Per 100			
Roseum elegans (Fine rose) 18 to 24 in	1 00	9 00				
24 to 30 in	1 50	12 50				
30 to 36 in	2.50	20 - 00				
Roseum superbum (Rose) 24 to 30 in	1 50	$12 \ 50$				
3 to 3½ ft. specimens	4 00	$35 \ 00$				
Salmoneum roseum (Rose) 3 to $3\frac{1}{2}$ ft	4 00					
RHODODENDRON CATAWBIENSE GRANDIFLO	RUM					
As hardy as the native Catawbiense.	1 00	9 00	05 00			
18 to 24 in. bushy	1 50	$\frac{9}{12} \frac{00}{50}$	85 00			
24 to 30 in. bushy	$\frac{1}{2} \frac{50}{00}$	12 50 17 50				
30 to 36 in. bushy	3 00	$\frac{17}{27} \frac{50}{50}$				
3 to 3½ it. specimens	5 00	21 00				
RHODODENDRON ALPINE (Dwf. Hybrid varieties	s)					
ferrugineum (Pink) 12x15 in	1 00	9 00				
15x18 in	1 50					
hirsutum (Scarlet) 12x15 in	1 25	10 00				
15x18 in	1 50					
myrtifolium (Red) 15 to 18 in	$1 \ 25$	10 00				
18 to 24 in	1 50	$12 \ 50$				
24 to 30 in	2 00	17 50				
ovatum (Red) 15x18 in	1 25					
praecox (Lilac) 15 to 18 in	$1 \ 25$	10 00				
18 to 24 in	1 50	12 50				
Wilsoni (Pink) 15 to 18 in	$1 \ 25$	10 00				
18 to 24 in	1 50	$12 \ 50$				
RHODODENDRON CAROLINIANUM (punctatum) Very hardy; fine for rocky slopes and hill- sides, also valuable as single specimens.						
2 to 3 ft	2 00	17 50				
3 to 4 ft	2 50					
RHODODENDRON CATAWBIENSE (Native) Tr planted nursery stock, with good balls	ans-					
24x30 in. bushy specimens	1 50	$12 \ 50$	100 00			
2½x3 ft. bushy specimens	$2\ 25$	20 00	75 00			
3 to 4 ft. bushy specimens	2 75	25 00				
Special prices in quantity.						
RHODODENDRON MAXIMUM (Native) Trans-	1 05	10.00	00.00			
planted, with good balls 2 to 3 ft 3 to 4 ft	$\begin{array}{cc} 1 & 25 \\ 2 & 00 \end{array}$	10 00	90 00			
4 to 5 ft	3 00	17 50 27 50	150 00			
5 to 6 ft	3 50	32 50				
The above are fine specimens all transplanted.	9 90	54 9 0				
Special quotations by the carload for collected plants.						



WHOLESALE PRICE-LIST

SEEDS & BULBS

GROWN BY

MRS. JAS. H. BAYS
VENTURA, CALIFORNIA

1914...

SEEDS	1000 Seeds	Trade Packet	1-16 Ounce	Ounce	Pound
Calla Elliottiana	2.00				\$15.00
Cobœa Scandens- purple					1.75
" white					5.00
Heliotrope, Lemoine's Giant					9.00
" Good mixed					6.00
Geranium, double mixed	4.00				
Gerbera Jamesoni					
Mina Lobata					5.00
Petunia, Single Giants			1		
Ruffled and fringed, extra mixed			2.00	24.00	
Very Fine mixed					
Century Prize					
Petunia, Double Fringed, extra mixed				100,00	

The strains of Petunia seed herein offered are remarkable for size, form, color, and beautifully marked throats, and are wonderfully ruffled and fringed. All are hand fertilized. They are the result of painstaking effort to not only maintain and preserve, but to improve the standard of the best varieties obtained from every available source.

		BULBS	100	1000
Calla E	lliottian	a, Mammoth size	16.00	
66	"	No. 1	12.00	
"	"	No. 2	10.00	eg
Freesia,	Purity	, Extra size, Selected Mammoth		P18.00
"	"	No. 1 Mammoth		16.00
	"	No. 2, ½ inch and over		11.00
"	"	No. 3, 3/8 inch to 1/2 inch		

The locality in which these Freesias are grown is unsurpassed as regards climatic conditions and fertility of soil. We are also supplied with irrigation facilities. We grow no Freesias but the "Purity." We strive to produce in our Mammoth and Mammoth Extra Selected Freesia Purity, the largest size bulb attainable.

All seed in packets and by the ounce by mail postpaid. Prices quoted on larger quantities by express do not include transportation charges. Orders from unknown dealers must be accompanied by cash.

All seeds offered subject to shortage of crop.



NOTES ABOUT RHODODENDRONS

The above list of Rhododendrons, we believe, includes the best varieties of Hardy Hybrids for New England. For twenty years we have tested them in various soils, both with and without shade, and have become convinced that the Rhododendron is not so finical as we, in common with many people, had supposed.

They will grow in almost any good loam where corn will thrive, and should be planted thickly so that the sun cannot shine directly on the roots. No excavations are necessary. They are a surface feeding plant and appreciate a reasonable mulching of decomposed vegetable matter. The roots should not be disturbed or exposed, but kept well protected by mulch about three inches deep.

For the first two or three years a little screening during the winter by covering lightly with evergreen boughs, so as to protect them from the March sun, is all that is necessary. It is not the cold of winter that kills them, it is the early spring frosts after a warm day or two, when the sap is brought to the foliage, that kills.

In the late Fall, should the ground be dry, thoroughly soak it before it freezes, and you will find that the Rhododendrons will come through the Winter better.

AUTO-TRUCK DELIVERY

We make deliveries by auto-truck within reasonable distances from the nurseries when desired, and charge according to mileage and size of truck used. We are located 18 miles south of Boston.

THE BAY STATE NURSERIES NORTH ABINGTON. - MASSACHUSETTS.